
Field Evaluation of Almond Varieties

Project No.: 08-HORT2-Lampinen

Project Leader: Bruce Lampinen
Department of Plant Sciences
UC Davis
One Shields Ave.
Davis, CA 95616
email: bdlampinen@ucdavis.edu

Project Cooperators and Personnel:

Tom Gradziel, Sam Metcalf, Claudia Negron, Mary Ann Thorpe, and Warren Micke, UC Davis
Joe Connell, UCCE - Butte County
Paul Verdegaal, UCCE - San Joaquin County
Mario Viveros and Peggy Shrader, UCCE - Kern County
J. Floyd, CSU Chico
J. Burkhard and L. Sheffield, San Joaquin Delta College
Paramount Farming Company, Kern County
The Billings Ranches, Kern County

Objectives:

The objective of this project is to continue evaluating bloom and maturity data at the 1993 Butte, Delta and Kern Regional Almond Variety Trial (RAVT) plantings and to evaluate performance of pollenizers and Nonpareil clones (including yields) in a replicated field trial in McFarland California. Data presented will include yield and quality data. Bloom and maturity data for the 2007 season for the McFarland Variety Trial and Chico RAVT as well as bloom and weather data for the Delta RAVT are available in the 2007-2008 final report that is included on a CD distributed at the 2008 Almond Board Conference. The 2008 bloom and hullsplit data available from the 1993 plantings are available in this 2008-09 final report.

Materials and Methods:

This report will concentrate on a replicated variety trial of eight varieties and eight Nonpareil clones that was planted in 2004 in Kern County near McFarland. Soils at the site consist of McFarland loam and Wasco sandy loam (both Class I soils). The irrigation system is double line drip. Tree spacing is 20 feet between tree rows and 18 feet between trees for a density of 121 trees per acre. Varieties planted included Chips, Kahl, Kochi, Marcona, Selection 2-19e, Sweetheart and Winters, Nonpareil clones planted include Nonpareil 3-8-2-70, Nonpareil 5, Nonpareil 6, Nonpareil 7, Nonpareil Dr., Nonpareil-J, Nonpareil-Newell and Nonpareil-Nico. There are six replications of

each variety and Nonpareil clone with 34 trees per replication. Pollenizer and Nonpareil rows alternate in the orchard.

The objectives of the trial are to evaluate pollenizers and Nonpareil clones in a replicated trial where relative yield performance as well as bloom dates, maturity dates, disease/insect susceptibility, etc. can be assessed.

Results:

Weather during bloom was generally good at the McFarland trial site. Bloom data for 2008 is shown in **Table 1**. Marcona, Winters and Sweetheart were the varieties to begin blooming first and Kochi and Selection 2-19e were the latest. Bloom overlap was very good in 2008. The earliest varieties to begin hullsplit were the Nonpareil clones and Kochi which started July 11-12 followed by selection 2-19e (**Table 2**). The latest varieties to begin hullsplit were Kahl, Winters and finally Marcona, which did not begin hullsplit until about three and one half weeks after Nonpareil in 2008 (**Table 2**).

In 2008, hullrot was severe in Kochi and moderate in the Nonpareil clones (**Table 3**). No hullrot was observed on Chips, Kahl, Marcona or Winters and very little in selection 2-19e (**Table 3**). Alternaria damage was mild to moderate but there were no statistically significant differences among varieties.

Yield data for the McFarland trial from the 2006 through 2008 seasons are shown in Table 3. Selection 2-19e and the Nonpareil clones have had the highest cumulative yields at the McFarland trial (**Table 4**). The Nonpareil-Nico clone has had a significantly higher cumulative yield than the Nonpareil-7, Nonpareil-6 and Nonpareil-J clones. The cumulative yield for Winters is statistically similar to that for all of the Nonpareil clones except Nonpareil-Nico which was higher (**Table 4**). These yields are very high for the age of orchard. Compared to the 1993 trials which were not replicated, the replication provided in this trial adds much value to the data. **Figure 1** shows the yield by row across the orchard and the three row average yield. In this figure it is clear that varieties with a high yield are almost always next to a variety with low yield. This suggests that either the height of varieties or their light interception across the row (i.e. crowding their neighbors) is resulting in the high yields. When the 3 row average yield is plotted, much of the variability goes away. This is a major factor that must be considered in evaluating yield in any almond trial. These factors will be evaluated at the McFarland trial in 2009 by measuring midday light interception in the trial with a new automated lightbar being utilized for the first time in 2009.

1993 Variety Trials

2008 bloom data for the 1993 Butte RAVT is shown in **Table 5**. This was the only data collected at the 1993 Butte trial in 2008 and the orchard has since been completely removed. Bloom data for the 1993 Delta RAVT is presented in **Table 6**. 2008 bloom and maturity data for the 1993 Kern Trial are presented in **Table 7**.

Acknowledgements

The authors wish to thank the Almond Board of California for their continued support of this project. The following nurseries supplied trees at reduced cost for these trials: Bright's Nursery, Burchell Nursery, Dave Wilson Nursery, Fowler Nursery, Sierra Gold Nurseries and Spoto Nursery. We particularly want to express our appreciation and thanks to the staffs of California State University at Chico, San Joaquin Delta College, Paramount Farming Company and the Billings Ranches for excellent cooperation in managing and maintaining these trials. The assistance of Cooperative Extension field assistants in Kern, Butte and San Joaquin Counties and field personnel of the University of California Plant Sciences Department is gratefully acknowledged.

Table 3. *Alternaria* leaf spot and hullrot ratings for the 2008 season at the McFarland trial. A higher number indicates a more severe disease incidence. Letters indicate significant difference at the 5% level of significance.

<i>Alternaria</i>		
Kahl	1	a
Winters	0.83	a
Solano	0.72	a
Marcona	0.5	a
Nonpareil 3-8-2-70	0.5	a
Kochi	0.5	a
Nonpareil-7	0.33	a
Nonpareil-DR	0.33	a
Nonpareil-6	0.33	a
2-19E	0.33	a
Sweetheart	0.17	a
Nonpareil-Newell	0.17	a
Nonpareil-5	0.17	a
Nonpareil-Nico	0.17	a
Chips	0.05	a
Nonpareil-J	0	a

<i>Hull rot</i>		
Kochi	2.83	a
Nonpareil-6	2.33	ab
Nonpareil-Newell	2	bc
Nonpareil-7	2	bc
Nonpareil-5	1.67	cd
Nonpareil-J	1.5	cd
Nonpareil 3-8-2-70	1.33	cd
Nonpareil-DR	1.17	d
Nonpareil-Nico	1	d
Sweetheart	0.33	e
2-19E	0.17	e
Marcona	0	e
Winters	0	e
Chips	0	e
Kahl	0	e
Solano	0	e

Table 4. Yield, number of nuts, average kernel weight, shelling percentage and kernel pound per acre yield for the 2006 through 2008 seasons at McFarland trial. Data for each year is sorted by cumulative yield.

2006						
Variety	No. of nuts/tree	Average kernel wt (g)	Shelling percentage	Kernel pounds per		Cumulative kernel lbs/acre
				Tree	Acre	
2-19e	6852 a	0.94 g	53.0 d	14.2 a	1718 a	1718 a
Winters	6648 a	0.87 h	53.4 d	12.7 a	1540 a	1540 a
Marcona	3611 bcd	1.31 a	30.7 f	10.4 b	1258 b	1258 b
Nonpareil-Ni	4246 b	1.09 cde	67.2 a	10.2 b	1232 bc	1232 bc
Nonpareil-5	3713 bcd	1.12 bcd	67.9 a	9.1 bcd	1110 bcd	1110 bcd
Nonpareil-D	3867 bc	1.07 def	63.4 abc	9.1 bcd	1103 bcd	1103 bcd
Nonpareil-3-8-2-70	3848 bc	1.07 cde	64.6 ab	9.1 bcd	1101 bcd	1101 bcd
Nonpareil-Ne	3815 bc	1.07 cde	67.7 a	9.0 bcd	1086 bcd	1086 bcd
Nonpareil-6	3886 bcd	1.12 bc	67.0 a	8.9 bcd	1075 bcd	1075 bcd
Nonpareil-J	3717 bcd	1.08 cde	64.0 abc	8.8 bcd	1066 bcd	1066 bcd
Chips	3623 bcd	1.02 f	53.8 d	8.1 bcde	985 bcde	985 bcde
Kochi	3134 cd	1.16 b	59.9 c	8.0 cdef	965 cdef	965 cdef
Nonpareil-7	3288 bcd	1.08 cde	65.1 a	7.8 def	940 def	940 def
Kahl	3139 cd	1.06 ef	47.8 e	7.3 def	889 def	889 def
Sweetheart	2777 d	0.95 g	67.8 a	5.8 f	588 f	588 f

2007						
Variety	No. of nuts/tree	Average kernel wt (g)	Shelling percentage	Kernel pounds per		Cumulative kernel lbs/acre
				Tree	Acre	
2-19e	13149 a	0.78 e	54.3 d	22.8 a	2756 a	4474 a
Winters	11972 ab	0.83 de	60.2 b	21.8 ab	2634 ab	4173 a
Nonpareil-Newell	10659 bc	0.90 bc	67.3 a	20.9 abc	2536 abc	3626 b
Nonpareil-Nico	9260 cde	0.92 bc	66.0 a	18.8 abcde	2279 abcde	3511 b
Nonpareil-Driver	9793 cd	0.91 bc	65.6 a	19.6 abcd	2370 abcd	3474 b
Nonpareil-3-8-2-70	9340 cde	0.92 bc	66.3 a	18.9 abcde	2291 abcde	3393 b
Nonpareil-5	8905 cdef	0.95 b	67.0 a	18.6 abcde	2251 bcde	3323 bc
Marcona	6938 fg	1.08 a	29.8 f	16.5 defg	1995 defg	3252 bcd
Kahl	9594 cd	0.91 bc	47.6 e	19.3 abcd	2332 abcd	3222 bcd
Nonpareil-J	9137 cde	0.89 bcd	65.5 a	17.8 bcde	2152 bcdef	3218 bcd
Nonpareil-6	8396 def	0.94 b	67.1 a	17.4 def	2103 def	3178 bcd
Nonpareil-7	9517 cd	0.92 bc	67.9 a	19.3 abcd	2332 abcd	3140 bcd
Chips	7881 defg	0.87 cd	54.4 d	14.7 efg	1780 efg	2766 bcd
Kochi	6006 g	1.08 a	59.4 bc	14.3 fg	1729 fg	2694 de
Sweetheart	6767 fg	0.89 bcd	66.6 a	13.1 g	1588 g	2165 e

2008						
Variety	No. of nuts/tree	Average kernel wt (g)	Shelling percentage	Kernel pounds per		Cumulative kernel lbs/acre
				Tree	Acre	
2-19e	13472 a	0.93 g	54.3 d	27.5 cd	3321 cd	7795 a
Nonpareil-Nico	13879 a	1.10 cd	66.0 a	33.5 a	4056 a	7567 ab
Nonpareil-Newell	11916 bcd	1.09 de	67.3 a	28.6 cd	3456 cd	7110 bc
Nonpareil-3-8-2-70	12506 bcd	1.17 cd	66.3 a	30.7 b	3714 b	7106 bc
Nonpareil-Driver	12729 abc	1.07 de	65.6 a	29.8 bc	3611 bc	7085 bc
Nonpareil-5	12883 ab	1.08 de	67.0 a	30.5 b	3692 b	7001 bc
Winters	9872 e	1.02	60.2 b	22.1 fg	2670 fg	6843 c
Nonpareil-7	13250 ab	1.06 de	67.9 a	31.1 ab	3763 ab	6802 c
Nonpareil-6	10707 de	1.16 c	67.1 a	27.3 cd	3300 cd	6478 cd
Nonpareil-J	11071 d	1.09 cde	65.5 a	26.6 de	3224 de	6442 cd
Kahl	10720 de	0.96 fg	47.6 e	22.6 fg	2733 fg	5954 de
Chips	11465 cd	0.97 fg	54.4 d	24.4 ef	2956 ef	5722 e
Sweetheart	13149 ab	0.82 g	66.6 a	23.9 ef	2893 ef	5059 f
Marcona	4721 f	1.39 a	29.8 f	14.4 h	1748 h	5001 f
Kochi	5882 f	1.28 b	59.5 bc	16.5 h	2002 h	4996 f

Table 7. 2008 bloom and maturity data for the 1993 Kern Regional Almond Variety Trial.

Paramount Variety Trial 2008

	Onset	Full Bloom	Onset of Hull Split	Full Hullsplit
1. Nonpareil #2	23-Feb	29-Feb	10-Jul	20-Jul
2. Chip's (P)	23-Feb	29-Feb	04-Aug	15-Aug
3. Nonpareil #6	23-Feb	29-Feb	10-Jul	20-Jul
4. Johlyn (P)	19-Feb	29-Feb	20-Jul	04-Aug
5. Nonpareil #2	23-Feb	29-Feb	10-Jul	24-Jul
6. Jenette (P)	19-Feb	25-Feb	28-Jul	13-Aug
7. Nonpareil #6	23-Feb	29-Feb	10-Jul	20-Jul
8. Kahl (P)	21-Feb	29-Feb	04-Aug	20-Aug
9. Nonpareil #2	25-Feb	29-Feb	10-Jul	20-Jul
10. Sano (P)	15-Feb	21-Feb	14-Jul	28-Jul
11. Nonpareil #6	25-Feb	29-Feb	10-Jul	20-Jul
12. Yokit (P)	25-Feb	29-Feb	20-Jul	04-Aug
13. Nonpareil #2	25-Feb	29-Feb	10-Jul	20-Jul
14. Plateau (P)	25-Feb	29-Feb	20-Jul	04-Aug
15. Mission #5	29-Feb	02-Mar	20-Aug	
16. 2-43W (P)	25-Feb	02-Mar	10-Jul	04-Aug
17. Mission #5	29-Feb	03-Mar	13-Aug	
18. Morley (P)	03-Mar	10-Mar	28-Jul	15-Aug
19. Savana (P)	06-Mar	10-Mar	28-Jul	15-Aug
20. Mission #5	25-Feb	03-Mar	15-Aug	
21. Nonpareil #6	23-Feb	29-Feb	10-Jul	20-Jul
22. Kapareil	19-Feb	29-Feb	10-Jul	20-Jul
23. Nonpareil #2 <i>Kern RVT Plot-2</i>	25-Feb	29-Feb	10-Jul	20-Jul
24. Kapareil/PA	19-Feb	29-Feb	10-Jul	24-Jul
25. Nonpareil #6	23-Feb	29-Feb	10-Jul	20-Jul
26. Sonora	19-Feb	29-Feb	10-Jul	13-Aug
27. Nonpareil #2	25-Feb	29-Feb	10-Jul	20-Jul
28. Rosetta (P)	17-Feb	25-Feb	31-Jul	13-Aug
29. Nonpareil #6	23-Feb	29-Feb	10-Jul	20-Jul
30. 13-1 (P)	19-Feb	29-Feb	31-Jul	15-Aug

	Onset	Full Bloom	Onset of Hull Split	Full Hullsplit
31. Nonpareil #2	25-Feb	29-Feb	10-Jul	24-Jul
32. Price	19-Feb	29-Feb	17-Jul	04-Aug
33. Nonpareil (D) 1-23	25-Feb	29-Feb	10-Jul	24-Jul
33. Nonpareil #6	25-Feb	29-Feb	10-Jul	31-Jul
34. Aldrich (P)	21-Feb	25-Feb	24-Jul	13-Aug
35. Nonpareil #6	25-Feb	29-Feb	10-Jul	24-Jul
36. Wood Colony (P)	25-Feb	29-Feb	28-Jul	03-Sep
37. Nonpareil (S)	25-Feb	29-Feb	10-Jul	24-Jul
38. Fritz	19-Feb	25-Feb	13-Aug	03-Sep
39. Nonpareil #2	25-Feb	01-Mar	10-Jul	24-Jul
40. Jiml (P)	21-Feb	29-Feb	10-Jul	28-Jul
41. Nonpareil #6	23-Feb	29-Feb	10-Jul	24-Jul
42. Donna (P)	21-Feb	29-Feb	17-Jul	31-Jul
43. Nonpareil #2	23-Feb	29-Feb	10-Jul	24-Jul
44. Carmel (FPMS 13-2)	25-Feb	01-Mar	04-Aug	20-Aug
45. Nonpareil (F)	24-Feb	01-Mar	10-Jul	24-Jul
46. Monterey	24-Feb	29-Feb	24-Jul	03-Sep
47. Nonpareil #6	25-Feb	29-Feb	10-Jul	24-Jul
48. Butte	26-Feb	02-Mar	13-Aug	
<i>Kern RVT Plot-3</i>				
49. Mission #2	29-Feb	03-Mar	13-Aug	03-Sep
50. Livingston (P)	26-Feb	03-Mar	24-Jul	13-Aug
51. Mission #5	26-Feb	04-Mar		
2/21. 1-87 (P)	28-Feb	03-Mar	28-Jul	13-Aug
53. Mission #5	29-Feb	03-Mar	20-Aug	03-Sep
54. Padre	29-Feb	04-Mar	24-Jul	13-Aug
55. Mission #5	28-Feb	04-Mar	20-Aug	03-Sep
56. 2-19E	25-Feb	03-Mar	24-Jul	04-Aug
57. Mission #5	27-Feb	03-Mar	13-Aug	03-Sep
58. 1-102W (P)	25-Feb	03-Mar	10-Jul	04-Aug
59. Mission #5	27-Feb	03-Mar	13-Aug	03-Sep
60. Ruby	29-Feb	05-Mar	31-Jul	
61. Mission #5	29-Feb	05-Mar	13-Aug	03-Sep
62. 25-27 (P) (trees 1-15=SI trees 16-29=S2)	29-Feb	05-Mar		
63. Mission #5	27-Feb	03-Mar		

Figure 1. Cumulative yield by row across orchard from west (row 1) to east (row 50) for the McFarland variety trial.

